BID SOLICITATION

Page 1 of 2 Printed: 2/20/2004



L L T STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS CAPITOL HILL PROVIDENCE RI 02908

1	TITLE: DUMP TRUCK
BUYER: LISA HILL	BID OPENING DATE

03/10/2004 1:40 PM

BID NUMBER: B03433

CORRECTIONS DOC BUSINESS OFFICE 39 HOWARD AVENUE CRANSTON RI 02920	SHIPT	CORRECTIONS DOC CENTRAL DIS 144 POWER ROAD CRANSTON RI 0292

CORRECTIONS
DOC CENTRAL DISTRIBUTION CENTER
144 POWER ROAD
CRANSTON RI 02920

TERMS OF PAYMENT:

PHONE #: (401) 222 - 2142 ext. 116

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

	DO NOT SIGN BID ON THIS PAGE!
DELIVERY:	RIVIP VENDOR ID#:

USE CERTIFICATION COVER FORM.

BID SOLICITATION

Page 2 of 2 Printed: 2/20/2004



STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS CAPITOL HILL PROVIDENCE RI 02908

BUYER: LISA HILL PHONE #: (401) 222 - 2142 ext. 116	

B CORRECTIONS
DOC BUSINESS OFFICE
L 39 HOWARD AVENUE
CRANSTON RI 02920
T
O

Requisition Number(s): R77A041080

TERMS OF PAYMENT:

BID NUMBER: B03433

TITLE: DUMP TRUCK

BID OPENING DATE AND TIME:

03/10/2004 1:40 PM

S	CORRECTIONS
Н	DOC CENTRAL DISTRIBUTION CENTER
ı	144 POWER ROAD
Р	CRANSTON RI 02920

Т О

Item	Class-Item	Quantity	Unit	Unit Price	Total
	SUBMISSION OF OFFERS: EACH VENDOR IS LIMITED TO ONE (1) ORIGINAL RESPONSE AND ONE (1) ALTERNATE RESPONSE. EACH RESPONSE, AND EACH SPECIFICATION SUBMITTED, MUST BE CLEARLY MARKED "ORIGINAL" OR "ALTERNATE". EACH RESPONSE MUST INCLUDE THE CERTIFICATION COVER FORM, BID PROPOSAL FORM WITH ORIGINAL BID SPECIFICATIONS AND DETAILED MANUFACTURER'S SPECIFICATIONS, IN DUPLICATE, FOR ALL INDIVIDUAL COMPONENTS OF THE REQUIREMENT. EACH SPECIFICATION MUST BE MARKED "ORIGINAL" OR "ALTERNATE" AS APPLICABLE.				
	THE ORIGINAL BID SPECIFICATION MUST BE RETURNED AND NOTED WITH ANY EXCEPTIONS TO THE BID SPECIFICATIONS. ANY SUBMISSION OF OFFERS NOT COMPLYING WITH THE ABOVE MAY BE REJECTED.				
1.0	070-60 STERLING, NEW, NEWEST MODEL ACTERRA DUMP TRUCK, 5/7 YARD DUMP BODY, 5/6 YARD S/S SANDER, 10 FT FISHER PLOW SEE ATTACHED SPECS	1.00	EA		
	CONTACT PERSON: CHUCK FONTAINE (401) 462-3399			TOTAL:	

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

DO NOT SIGN BID ON THIS PAGE!
USE CERTIFICATION COVER FORM.

BID #B03433

DATA BOOK CODE	SPECIFICATIONS		
	MODEL		
002-004 019-001	STERLING ACTERRA - CHASSIS SET BACK AXLE - TRUCK TRAILER TOWING PROVISION AT END OF FRAME FOR TRUCK LH PRIMARY STEERING LOCATION		
	GENERAL SERVICE		
A85-011 A84-1CO AA3-005 AA2-005 AH6-001 AA4-010 AA5-006 AB5-001 AB1-008 AA6-002 A66-99D A68-99D A63-99D A70-99D	TRUCK/TRAILER CONFIGURATION CONSTRUCTION SERVICE CONSTRUCTION BUSINESS SEGMENT FLATBED/PLATFORM/STAKE BODY FLATBED TRAILER SINGLE (1) TRAILER DIRT/SAND/ROCK COMMODITY TERRAIN/DUTY: 10% (SOME) OF THE TIME, SMOOTH CONCRETE OR ASPHALT PAVEMENT- MAXIMUM 8% EXPECTED GRADE DOMICILED, USA 49 STATES(W/O EXP FRT AXLE LOAD EXP REAR AXLE LOAD EXP GVW CAPACITY MAXIMUM EXP GCW MEDIUM DUTY I WARRANTY COVERAGE TRUCK SERVICE	8500 17500 26000 26000	LBS LBS
700 007	TRUCK BODY I ENGINE	10.0	ممالية
	TRUCK BODY LENGTH	10.0 4	FT IN

STATE OF RI(DOC)

page 2

	DATA BOOK CODE	SPECIFICATIONS
		ENGINE
	101-2CG	CAT C7 210 HP @ 2200 RPM; 2500 GOV RPM 520 LB/FT @ 1440 RPM
-		ENGINE EQUIPMENT
	105-001 014-093	2004 EPA/CARB EMISSION CERTIFICATION ENGINE MOUNTED OIL CHECK & FILL SIDE OF HOOD AIR INTAKE WITH RAIL MOUNTED DONALDSON AIR CLEANER
	292-058	DR 12V 130 AMP 22-SI ALTERNATOR (3) ALLIANCE 1031 GRP31 12V MF 2280 CCF THREADED STUD BATTERIES
	282-001	BATTERY BOX FRAME MTD
	180-998	FRAME GROUND RETURN FOR BATTERY CABLES NO CLUTCH
	131-002	TEFLON COMPRESSOR DISCHARGE LINE ELEC ENG INTEGRL WARNING & DERATE PROTECT SYSTEM
		SINGLE HORIZONTAL MUFFLER, W/HORIZONTAL
N	110-004 118-001	BORG WARNER VISCOUS FAN DRIVE
		720 SQ-IN RADIATOR
	172-001	CONSTANT TENSION HOSE CLAMPS FOR
		1310 ADAPTER FLANGE FOR FRONT PTO PROVISION AIR INTAKE WARMER
		DELCO 12V 38MT HD STARTER

STATE OF RI(DOC)

page 3

DAIA	·
BOOK	SPECIFICATIONS
CODR	SPECIFICATIONS
	TRANSMISSION & EQUIPMENT
	ALLISON 2400P AUTOMATIC TRANSMISSION WITH PTO PROVISIONS
	1000/2000/2400 TRANS PROGRAMMING 5SPEED NON-FIRE/EMERGENCY, 5/4/2/1 SELECTOR
341-018	MAGNETIC PLUGS, ENGINE DRAIN TRANSMISSION DRAIN, AXLE(S) FILL & DRAIN
345-036	T-HANDLE CABLE SHIFT CONTROL WITH PARK POSITION FOR INTERNAL PARK PAWL
370-015	WATER TO OIL TRANSMISSION COOLER IN RADIATOR END TANK
346-001	TRANSMISSION OIL CHECK AND FILL
	FRONT AXLE & SUSPENSION
	MERITOR MFS-10-143A FRONT AXLE @ 10,000#
	MERITOR 15 X 5 Q+ CAST SPIDER CAM FRT . BRKS. DBL ANCHOR, FAB'D SHOES
403-002	NON-ASBESTOS FRONT BRAKE LINING
419-023	CONMET CAST IRON FRONT BRAKE DRUMS
409-021	CHICAGO RAWHIDE SCOTSEAL PLUS XL
	FRONT OIL SEALS
408-001	VENTED FRONT HUB CAPS - OIL
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTRS
536-011	TRW TAS 55 POWER STEERING
539-003	POWER STEERING PUMP
	2 QUART SEE THROUGH POWER STEERING RESERVOIR
620-062	10,000# TAPERLEAF FRONT SUSPENSION
619-005	MAINTENANCE FREE RUBBER BUSHINGS
	FRONT SUSPENSION
410-001	FRONT SHOCK ABSORBERS
	REAR AXLE & SUSPENSION
420-109	MERITOR RS-17-144 R-SRS SINGLE REAR AXLE @ 17,500#
421-529	5 29 AXLE RATIO
424-001	IRON REAR AXLE CARRIER HOUSING

STATE OF RI (DOC)

page 4

BOOK	
CODE	SPECIFICATIONS
CODE	SPECIFICATIONS
386-049	155T MERITOR MAIN DRIVELINE
595-007	PETROLEUM BASED LUB ENG/TRANS/AXLE
423-028	MEDITOR 15X8 62 OF CAST SELECT CAM BEAR
	BRAKES, DOUBLE ANCHOR, FAB'D SHOES
433-002	NON-ASBESTOS REAR BRAKE LINING
	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE
	OF DRIVE AXLE(S)
	CONMET CAST IRON REAR BRAKE DRUMS
	CHICAGO RAWHIDE SCOTSEAL REAR OIL SEALS
426-074	HALDEX LONGSTROKE 1-DRV AXLE SPRING
	PARKING CHAMBERS
	MERITOR AUTOMATIC REAR SLACK ADJUSTERS
622-1ME	18,000# 52" VARIABLE RATE MULTI-LEAF
	SPRING REAR SUSP W/LEAF SPRING HELPER
	SPRING SUSPENSION - NO AXLE SPACERS
431-001	STANDARD U-BOLT PAD
	BRAKE SYSTEM EQUIPMENT
	DRAKE SISIEM EQUIPMENT
018-002	AIR BRAKE PACKAGE
	WABCO 4S/4M ABS W/O TRACTION CONTROL
100 100	ENHANCEMENT
871-001	REINFORCED NYLON, FABRIC BRAID &
	WIREBRAID CHASSIS AIR LINES
412-001	STANDARD BRAKE SYSTEM VALVES
432-003	RELAY VALVE W/ 5-8 PSI CRACK PRESSURE .
	NO REAR PROPORTIONING VALVE
480-009	BW AD-9 BRAKE LINE AIR DRYER W/HEATER .
460-001	STEEL AIR BRAKE RESERVOIRS
477-004	PULL CABLES ON ALL AIR RESERVOIRS
	TRAILER CONNECTIONS
481-998	NO TRAILER AIR HOSE
	AIR CONNECTIONS TO EOF WITH GLAD HANDS
	FOR TRUCK
296-010	PRIMARY CONNECTOR/RECEPTACLE CENTER PIN
	POWERED THROUGH IGNITION
297-001	SAE J560 7-WAY PRIMARY TRAILER CABLE
	RECEPTACLE MOUNTED END OF FRAME

STATE OF RI (DOC)

page 5

	DATA BOOK CODE	SPECIFICATIONS
	331-001	SUPPLEMENTAL ISO 3731 7-WAY RECEPTACLE LOCATED WITH PRIMARY RECEPTACLE
-		FRAME & WHEELBASE
*	545-385 546-094	152" WHEELBASE
*	549-002 553-001 572-001	63 IN. OVERHANG
	303 001	CHASSIS EQUIPMENT
	574-003 607-001	12" PAINTED STEEL BUMPER - CUTOFF SINGLE LICENSE PLATE BRKT BELOW BUMPER CLEAR FRAME RAILS/NO PROTRUSIONS OUTBOARD BOTH RAILS BOC TO REAR SUSP GRADE 8 THREADED HEX-HEADED FRAME FASTENERS
		FIFTH WHEEL & EQUIPMENT
	578-998	NO FIFTH WHEEL
		FUEL TANKS & EQUIPMENT
	206-190	40 GALLON / 155 LITER RECTANGULAR ALUMINUM FUEL TANK - RH
	218-005	NO LH FUEL TANK RECTANGULAR FUEL TANK(S) PLAIN ALUMINUM/PAINTED STEEL FUEL/ HYDRAULIC TANK(S) WITH PAINTED BANDS
	205-001 122-075 216-020	FUEL TANK(S) FORWARD FUEL TANK CAP(S) ALLIANCE FUEL/WATER SEPARATOR EQUIFLO INBOARD FUEL SYSTEM REINFORCED NYLON FUEL HOSE

STATE OF RI (DOC)

page 6

DATA BOOK CODE	SPECIFICATIONS
	FRONT TIRES, HUBS, & WHEELS
418-030	MICHELIN XZE245/70R 19.5 12 PLY CONMET IRON FRONT HUBS
	REAR DRIVE TIRES, HUBS, & WHEELS
450-002	MICHELIN XDE M/S245/70R 19.5 16 PLY GUNITE IRON REAR AXLE HUBS
	CAB EXTERIOR
653-010 651-010 650-009 678-001 646-031	106" BBC STEEL CONVENTIONAL CAB RH CAB DOOR W/55 DEGREE DOOR STOP LH CAB DOOR W/55 DEGREE DOOR STOP RUBBER CAB MOUNTS GRABHANDLES LH/RH RADIATOR MOUNTED SILVER METALLIC PAINTED PLASTIC/ALUMINUM GRILLE
727-500	FIBERGLASS HOOD
312-007 302-005 294-001 300-015 744-008 797-001 796-002 743-132	ALL LOCKS KEYED THE SAME SINGLE RECTANGULAR HALOGEN HEADLIGHTS . AERODYNAMIC MARKER LIGHTS - SMALL . INTEGRAL STOP/TAIL/BACKUP LIGHTS . STANDARD FRONT TURN SIGNAL LAMPS . DUAL SST HTD MIRRORS . DOOR MOUNTED MIRRORS . 96" EQUIPMENT WIDTH . LH/RH 5.5" BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS (2) 15"X26" TINTED REAR WINDOWS . TINTED DOOR GLASS LH & RH WITH TINTED . OPERATING WING WINDOWS
654-003	MANUAL DOOR WINDOW REGULATORS

STATE OF RI(DOC)

	BOOK CODE	SPECIFICATIONS
	663-013 659-007	TINTED WINDSHIELD
-		CAB INTERIOR
	706-013	BASE OASIS TAN INTERIOR
	741-019	DASH MOUNTED ASH TRAYS & LIGHTER COAT HOOK(S), CAB
	700-002 703-006	·
		MAIN FRESH AIR INLET & MAIN
	170-015 130-003	STANDARD HEATER PLUMBING SANDEN COMPACT AIR CONDITIONER COMPRESSOR
	698-001	RADIATOR MTD A/C CONDENSER
	285-001 280-007 324-062	AUTOMATIC SELF-RESET CIRCUIT BREAKERS . 12V NEGATIVE GROUND ELECTRICAL SYSTEM .
	655-001	COURTESY LIGHT IN KICK PANELS CAB DOOR LATCHES WITH MANUAL DOOR LOCKS
	722-002 756-210	TRIANGULAR REFLECTORS W/O FLARES EZYRIDER MID BACK AIR SUSPENSION DRIVER SEAT W/ADJUSTABLE LUMBAR SUPPORT
		2-MAN MID BACK TOOL BOX PASSENGER SEAT VINYL W/CLOTH INSERT, DRIVER'S SEAT
	761-033 763-006	VINYL W/CLOTH INSERT, PASSENGER SEAT
	532-001	FIXED STEERING COLUMN

STATE OF RI(DOC)

page 8

DATA	
BOOK	SPECIFICATIONS
CODE	SPECIFICATIONS
540-020	2-SPK 450MM(18") BLACK STEERING WHEEL(S)
765-002	DRIVER/PASSENGER INTERIOR SUN VISORS
	INSTRUMENT PANELS & CONTROLS
	BLACK GAUGE BEZELS
	MULTIPLEX INSTRUMENT PANEL
734-013	DARK TAUPE CENTER INSTRUMENT PANEL WITH FLAT GAUGE INSERT
	LOW AIR PRESSURE LIGHT AND BUZZER
	PRIMARY & SECONDARY AIR PRESSURE GAUGES
198-025	INTAKE MOUNTED AIR RESTRICTION
	INDICATOR WITHOUT GRADUATIONS
	97 DB BACKUP ALARM
149-015	CRUISE CONTROL-ELECTRONIC, CONTROLS ON
	STEERING WHEEL SPOKES
156-007	KEY OPERATED IGN SWITCH &INTEGRAL START
	POSITION; 4 POSITION OFF/RUN/START/ACC
811-011	ODO/TRIP/HOUR/DIAGNOSTIC/VOLTAGEDISPLAY
	1X7 CHAR, 26 WRNG LAMPS, DATA LINKED ICU3
160-012	DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN,
	SAE J1587/1708/1939, LOCATED BELOW DASH
844-001	ELECTRIC FUEL GAUGE
	ELECTRICAL ENGINE COOLANT TEMP GAUGE
864-001	
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL
050 000	WITHIN DRIVER DISPLAY ELECTRIC ENGINE OIL PRESSURE GAUGE
746 007	STERLING AM/FM STEREO RADIO
750-007	(2) RADIO SPEAKERS (CAB ONLY)
	MULTI-BAND AM/FM/WB/CB LH MIRROR
752-017	MOUNTED ANTENNA SYSTEM
810-027	ELECTRONIC MPH SPEEDOMETER W/ SECONDARY
010 027	KPH SCALE, W/O ODOMETER
817-001	STANDARD VEHICLE SPEED SENSOR
	ELECTRONIC TACHOMETER 3000 RPM
482-001	BW TRACTOR PROTECTION VALVE
	NO TRAILER HAND CONTROL BRAKE VALVE
	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH .
	DRIVER DISPLAY ICU3

	STATE OF RI (DOC)
DATA BOOK CODE	SPECIFICATIONS
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W/DELAY
304-005	(3) POS'N ROTARY HEADLAMP SW W/SEP MKR LT INTERRUPTER SW, DIMMER W/INT DOME
882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR
	SIGNAL STAT NON CANCELLING TURN SIGNAL SWITCH WITH BRAKE OVERBIDE
298-003	HEAVY DUTY MECHANICAL FLASHER
	PAINT
065-000	PAINT: ONE SOLID COLOR
980-3F6	CAB COLOR A: IMRON NOOGHN WHITE
986-020	CHASSIS COLOR: BLACK HIGH SOLIDS POLYURETHANE
	FRONT WHEEL COLOR: FRONT WHEELS/RIMS . VENDOR WHITE
966-970	REAR WHEEL COLOR: REAR WHEELS/RIMS VENDOR WHITE
	DEALER SPECIAL ADD-ON OPTIONS
STAN	5/7YARD DUMP BODY, CENTRAL HYDRAULICS, . 10FT.FISHER PLOW, 5/6YRD.S/S SANDER (DOWNEASTER MDL.D5-5610H)

page 9